

EPA Official Record

Notes ID: ADB17768EA28B2E5862579180060B5E9

From: Robert Puls/ADA/USEPA/US

To: Chris Hill <chris.hill@chk.com>

Delivered Date: 09/27/2011 01:36 PM EDT

Subject: RE: Pad Construction

Is CHK doing seismic for this well?

Robert W. Puls, Ph.D.

Agency technical Lead, Hydraulic Fracturing Study
Ground Water and Ecosystems Restoration Division
National Risk Management Research Laboratory, USEPA
P.O. Box 1198 / 919 Kerr Research Dr.
Ada, OK 74820

puls.robert@epa.gov

580-436-8543 (phone)

405-323-8119 (mobile)

▼ Chris Hill ---09/27/2011 11:58:04 AM---Approximately 3 weeks From: Lukert, George
[mailto:GLukert@ene.com]

From: Chris Hill <chris.hill@chk.com>

To: "Lukert, George" <GLukert@ene.com>

Cc: Robert Puls/ADA/USEPA/US@EPA, "Florentino, Gene" <GFlorentino@ene.com>

Date: 09/27/2011 11:58 AM

Subject: RE: Pad Construction

Approximately 3 weeks

From: Lukert, George [mailto:GLukert@ene.com]

Sent: Tuesday, September 27, 2011 11:46 AM

To: Chris Hill

Cc: Puls.Robert@epamail.epa.gov; Florentino, Gene

Subject: Pad Construction

Chris,

What is the time frame for constructing the well pad?

Thanks,


George M. Lukert, P.G.

Ecology and Environment, Inc.

368 Pleasant View Drive, Lancaster, NY 14086

Phone: 716-684-8060 Ext: 2576 | Cell: 971-409-9302

glukert@ene.com | www.ene.com



UhQEAEkbAAAABAAAAAAAAAAAAAAAAAA= yv8bAA8AAAAAAAAAAARGVzY3JpcHRpb246IDQw

Celebrating 40 Years of Green Solutions

This email (and attachments if any) is intended only for the use of the individual or entity to which it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this email is not the intended recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately by return email and destroy all copies of the email (and attachments if any).